




Product data sheet

Product category	Oil radiators
Brand	Qlima
Model	EOR 1515 LCD
Colour	Black
EAN code	8713508762692

Technical specifications

Heating capacity steps	2 (1500) W	
Heating capacity	kW	1,5
Suitable for space (max.) ²	m ³	60
Current (nom.)	A	6,52
Power supply	V/Hz/Ph	220 - 240~ / 50 / 1
Protection class	IP20	
	electronic LCD	
Dimensions (w x d x h)	mm	380 x 140 x 650
Net. weight	kg	9
Warranty	years	2



20 ft = 680
40 ft = 1400
40 HQ = 1600



W x D x H =
40 x 16 x 67 cm



Gross weight
10 kg

Package content

Oil-filled radiator, User manual

Accessories (not included)

Description	EAN code

Qlima



3 Temperature settings



Overheat protection



Adjustable thermostat



Easy to move



Tip-over safety switch



Timer function

Heating settings: The oil-filled radiator has 2 heating settings, to adjust the heating capacity to the desired room temperature.

Adjustable thermostat: Control the required room temperature with ease by using the adjustable thermostat.

Overheat protection: Safety of the system is protected against overheating by an auto-shut off function.

Design: This oil-filled radiator is part of a robust range of Qlima products.

Full colour box: The unit is delivered completely with auxiliary parts in a full coloured box showing applications and operation information in several languages.

Digital room temperature setting: The oil-filled radiator has a digital temperature control, to adjust the heating capacity according to the desired room temperature.

Portable heater: The oil-filled radiator is light weight and can easily be placed at the desired spot.

Timer: Timer can be set up to 24 hours. The unit switches off or on automatically when the set time is reached.

Power indicator light: This light will show the user if the power of the heater is switched on or off.

Power cord storage: The oil-filled radiator is provided with a storage cabinet for the power cord.

Tip over safety switch: The tip-over switch will automatically shut the oil-filled radiator off when the unit is turning over.

LED display: Highest quality LED digital picture screen.
